






Ni2


SAUNA HEATERS with Saunova 2.0 Control

Now, built-in control heaters are equipped with multi-level sauna functions! They have several useful features with handy settings to adjust.

Ni2 Heaters are using Saunova 2.0 control which has a smart heat controlling that alternately switch off a heating element when set temperature is reached. This process will save energy and reduces temperature fluctuations that keeps heating elements to work in a balance pace.

The Saunova user interface can be installed inside or outside the sauna room.






**Saunova 2.0
User Interface**

Included in the package



RJ Cable



Temperature sensor
with silicon wire

Control Specifications

- » User interface size: (W) 104 x (H) 147 x (D) 3,5mm
- » User interface weight: 0.37 kG
- » 7 LED indicators
- » 5 buttons
- » Stainless metal casing
- » Temperature setting
- » Celsius / Fahrenheit unit of measure
- » Session Time limiter for 1h, 2h, 4h, 6h, 8h, 12h, 18h, 24h
- » Pre-run timer max 6h domestic use / 24h public use
- » Keypad lock
- » Light control
- » Fan control (optional)
- » Extra bench sensors (temperature or temperature-humidity)
- » Heater safety switch (EN 60335-2-53) or door switch feature
- » Remote On feature for household automation
- » Steamer function with cabin drying (for Combi heaters only)

Technical Connection



RJ
Cable



POWER
SUPPLY



Sensor (TS1)

Temperature
Sensor

Bench Sensor
(TS2)




(upside down heater photo)





Ni2 sauna heaters

Aries Round Ni2



Model	Kilowatt
ARI3-45Ni2	4,5
ARI3-60Ni2	6,0
ARI3-75Ni2	7,5
ARI3-90Ni2	9,0

Aries Wall Ni2




Model	Kilowatt
ARI3-45Ni2-WL	4,5
ARI3-60Ni2-WL	6,0
ARI3-75Ni2-WL	7,5
ARI3-90Ni2-WL	9,0

Aries Corner Ni2



Model	Kilowatt
ARI3-45Ni2-CNR	4,5
ARI3-60Ni2-CNR	6,0
ARI3-75Ni2-CNR	7,5
ARI3-90Ni2-CNR	9,0

Phoenix Ni2



Model	Kilowatt
PNX3-45Ni2	4,5
PNX3-60Ni2	6,0
PNX3-75Ni2	7,5
PNX3-90Ni2	9,0
PNX6-90Ni2	9,0

Cubos Ni2



Model	Kilowatt
CUB3-45Ni2	4,5
CUB3-60Ni2	6,0
CUB3-75Ni2	7,5
CUB3-90Ni2	9,0

Tower Round Ni2



Model	Kilowatt
TH2-30Ni2	3,0
TH3-35Ni2	3,5
TH3-45Ni2	4,5
TH3-60Ni2	6,0
TH5-80Ni2	8,0
TH5-90Ni2	9,0
TH6-80Ni2	8,0
TH6-90Ni2	9,0

Tower Wall Ni2



Model	Kilowatt
TH2-30Ni2-WL	3,0
TH3-35Ni2-WL	3,5
TH3-45Ni2-WL	4,5
TH3-60Ni2-WL	6,0
TH5-80Ni2-WL	8,0
TH5-90Ni2-WL	9,0
TH6-80Ni2-WL	8,0
TH6-90Ni2-WL	9,0

Tower Corner Ni2



Model	Kilowatt
TH2-30Ni2-CNR	3,0
TH3-35Ni2-CNR	3,5
TH3-45Ni2-CNR	4,5
TH3-60Ni2-CNR	6,0
TH5-80Ni2-CNR	8,0
TH5-90Ni2-CNR	9,0
TH6-80Ni2-CNR	8,0
TH6-90Ni2-CNR	9,0



Ni2 sauna heaters

Nordex Plus Ni2



Model	Kilowatt
NRX-45Ni2	4,5
NRX-60Ni2	6,0
NRX-80Ni2	8,0
NRX-90Ni2	9,0

Nordex Ni2



Model	Kilowatt
NR-45Ni2	4,5
NR-60Ni2	6,0
NR-80Ni2	8,0
NR-90Ni2	9,0

Nordex Mini Ni2



Model	Kilowatt
NRMN-23Ni2	2,3
NRMN-30Ni2	3,0
NRMN-36Ni2	3,6

Nordex Combi Ni2



Model	Kilowatt
NRC-60Ni2	6,0
NRC-80Ni2	8,0
NRC-90Ni2	9,0

Nordex Mini Combi Ni2



Model	Kilowatt
NRMNC-30Ni2	3,0
NRMNC-36Ni2	3,6

Cumulus Ni2



Model	Kilowatt
CML-45Ni2	4,5
CML-60Ni2	6,0
CML-80Ni2	8,0
CML-90Ni2	9,0